


SET MIX P

womix
Comfort Controls



womix
Comfort Controls

ENERGY-SAVING CENTRAL HEATING EQUIPMENT


mixing valves

pump group system

brass and steel central heating zone manifold

system MIX-BOX

Set MIX P



The MIX P set is a system with a hydraulic separator for operating two heating circuits in installations up to 40 kW. It comes in 3 ready variants applicable in various types of heating (see table). Each set is equipped with a hydraulic separator, pump groups with non-insulated ball valves, automatic air vent, drain valve and a built-in pipe for mounting the temperature sensor. Separator can be connected to two heat sources.

Equipment:



Available with pumps:



Wilo Yonos Para

Grundfos UPM3



System **MIX P1** System of 2 heating circuits including one with a mixing valve and a rotary electric actuator



Type	Catalog number
System MIX P1 with groups SA 125 and SMT 125 - DN25 without pumps	605100
System MIX P1 with groups SA 125 and SMT 125 - DN25 with pumps Wilo Yonos Para 25/6	605103
System MIX P1 with groups SA 125 and SMT 125 - DN25 with pumps Grundfos UPM3 Auto L 25 - 70 180	605104

The system contains:

1. Hydraulic separator **CPN 70 2F - DN 25** with equipment,
2. Group **SA 125 - DN 25** with pump (see table),
3. Group **SMT 125 DN 25** with pump (see table),
4. Check valve,
5. Actuator **MP 10 - 230 / 140** with adapter **A 101**.

System **MIX P2** System of 2 heating circuits including one with thermostatic mixing valve



Type	Catalog number
System MIX P2 with groups SA 125 and SMT1 125 - DN25 without pumps	605200
System MIX P2 with groups SA 125 and SMT1 125 - DN25 with pumps Wilo Yonos Para 25/6	605203
System MIX P2 with groups SA 125 i SMT1 125 - DN25 with pumps Grundfos UPM3 Auto L 25 - 70 180	605204

The system contains:

1. Hydraulic separator **CPN 70 2F - DN 25** with equipment,
2. Group **SA 125 - DN 25** with pump (see table),
3. Group **SMT1 125 DN 25** with pump (see table),
4. Check valve,

System **MIX P4** System of 2 direct heating circuits without a mixing valves



Type	Catalog number
System MIX P4 with 2 groups SA 125 - DN25 without pumps	605400
System MIX P4 with 2 groups SA 125 - DN25 with pumps Wilo Yonos Para 25/6	605403
System MIX P4 with 2 grupami SA 125 - DN25 with pumps Grundfos UPM3 Auto L 25 - 70	605404

The system contains:

1. Hydraulic separator **CPN 70 2F - DN 25** with equipment,
2. Two group **SA 125 - DN 25** with pump (see table).



Type	Catalog number
Hydraulic separator CPN 70 2F - DN 25 with insulation, with extra equipment	606001

See more information at page 74.

